TOSHIBA

EVERYTHING YOU WANT IN ONE DEVICE

e-STUDIO**2829**A

28 MONO PPM
SPEED

COPY

PRINT

COLOUR SCAN

TOGETHER
INFORMATION

EVERYTHING YOU WANT IN ONE DEVICE

This series exhibits fast copy speed as well as a host of features that provide high productivity to meet the requirements of our customers. The devices come with power saving features that will greatly reduce energy consumption which in turn lowers the total cost of ownership.

Reliability is further enhanced with higher durability parts, thereby increasing device uptime and lower cost of maintenance.

CONVENIENT OFFICE APPLICATIONS

• ID Copy

Copy both sides of the card onto single side paper with just 1 simple step.

Scan the front   Scan the back   Both images printed on one side of a single page

• Scan USB/Email/Folder

Scanned file can be stored directly onto USB drive with greater convenience without the need to use a PC. Scan-to-email or folder eliminates hardcopy distribution, saving cost and time.

TIFF JPEG PDF

• 2-1/4-1

Combine 2 or 4 documents onto a single sheet to reduce paper consumption.

2 IN 1 : Copies two pages on a sheet of paper in portrait or landscape orientation.

4 IN 1 : Copies four pages on a sheet of paper in portrait or landscape orientation.

• Universal Print Driver

Unified access to any print device, simplifies printing with enhanced convenience.

• USB Direct Print*

Image files stored in USB flash drive can be printed with just a touch of a button.

TOSHIBA

• Department Code and Device Management

Easy management of user/department usage.
Administrator can receive notification on alerts or errors.

• Cloud & Mobile Printing*

Print directly from mobile device to Toshiba MFPs.
Save time and storage space by scanning files directly to mobile device.

• WiFi

Seamless connection to the MFP via WiFi option. This function allows mobile devices to connect to MFP directly.

• e-Bridge Cloud Connect

Cloud based system that provides proactive service which will improve service up time, reduce workload and keep MFP up-to-date.

• OPTIONS

e-STUDIO2829A

RADF
MR-3032

GD-1360   Fax Kit
GN-1160   Wireless LAN
GA-1350H PostScript

PFU
MY-1043-B

Desk
MH-2506

PFP
KD-1039-B

Drawer
MY-1044-B

Co-packed Toner   2,000 (Yield)
Black Toner   6,000 (Yield) / 17,500 (Yield)

QUALITY SERVICE

Beware of Imitation or Remanufactured Parts and Supplies.

Only Toshiba genuine parts & supplies are compliant to the RoHS directive & MSDS certified. Even though they may say "for use in Toshiba," or "equivalent reliability and performance", third party supplies can't match Toshiba's exacting quality standards. They don't undergo Toshiba's stringent qualification and rigorous testing to ensure that all components work together in perfect harmony. Plus, they void your warranty. Be Smart. Be Safe. Always purchase from an Authorised Toshiba Distributor so you can be sure you're not inadvertently installing imitation/remanufactured supplies, which can shorten product life, hamper productivity, and irrevocably damage your Toshiba equipment.

SPECIFICATIONS	e-STUDIO2829A

GENERAL

Print & Copy Speed	28 cpm
Copy & Print Process	Indirect electrostatic photographic method
Warm-up Time	15 sec
Paper Size & Weight	Drawer: A3 / A5-R (64 - 80 g/m2) Bypass: A3 / A5-R (52 - 216 g/m2)
Paper Capacity (Standard)	Drawer x 1 : Max paper 250 sheets. Stack Feed Bypass Max 100 sheets
Max. Paper Capacity	1700 sheets
Processor	Cortex A8 500MHz
Memory	512MB
Dimension	W575 x D540 x H402 (mm)
Power Consumption	Max 1.5kW (220 - 240V)

COPY

Max Original Size	A3
First Copy Out Time	Less than 6.4 seconds
Multiple Copy	1 - 999 copies/Ten key input
Zoom	25% to 400% (1% increment)
Copy Mode	Text, Text/Photo(Default), Photo

PRINT

Printing Resolution	2400 dpi x 600 dpi (with smoothing)
Page Description Language	PCL5e/PCL5c/PCL6 (PCL XL)/PS3 (Option)
Operating Systems	Windows 10, Windows 8.1 (32/64 bit), Windows 7 (32/64 bit) (SP1 Recommended)
	Windows Server 2016, Windows Server 2012/R2 (64 bit)
	Windows Server 2008 SP2 (32/64 bit), Windows Server 2008 R2 SP1 (64 bit)
	Redstone 5, Open SuSE Leap 42.3
	Redhat Enterprise 5.10.x, 6.5.x, 7.4.x
	Fedora Ver27, Bharat Operating System 6.x
	CUPS Support
	Mac OS 10.11, 10.12, 10.13, 10.14
Interface	RJ45/USB2.0

SCAN

Scan Resolution	600 dpi x 600 dpi
Scan Speed	Up to 25 spm
Supported Destination	Scan to USB/TWAIN
	Scan to email/file/SMB/FTP

FAX

Compatibility	Super G3/G3
Data Compression Method	JBIG, MMR, MR, MH
Modem Speed	33.6 kbps - 2.4 kbps (Auto Fallback)
Transmission Speed	Approx. 3 sec

For mo re information and a complete list of MFPs and Solutions, please contact us:

Toshiba TEC Singapo   re Pte Ltd
2 Ang Mo Kio St   reet 62
Singapo re 569138
Tel : (65) 6481 9488
Fax : (65) 6481 2385